Date:

Monday, 21/07/2008 10:53:41 AM

Julie Lecocq

### **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

: 40687

Job Number **Estimate Number** 

: 13475

P.O. Number

This Issue

: 21/07/2008 Prsht Rev.

: NC

: 11

Type

S.O. No. :

**Part Number** 

**Drawing Name** 

: D3763045

: END FITTING ASS'Y

**Drawing Number** 

: D3763 REVB

: N/A

: B

Project Number

**Drawing Revision** 

**Material Due Date** 

: 01/08/2008

Qty:

4 Um:

Each

Written By Checked & Approved By

Comment

First Issue

**Previous Run** 

: SMALL /MED FAB

: Est Rev:A 08-07-18 new issue DD verified by:ec

**Additional Product** 

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0 PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Pick Packing Kit

2.0

D37631

**End Fitting** 



Comment: Qty.:

1.0000 Each(s)/Unit

Total:

4.0000 Each(s)

07031

D37637

Tube



Comment: Qty.:

1.0000 Each(s)/Unit

Total:

4.0000 Each(s)

Tube

batch:

4000

4.0

3.0

LARGE FABRICATION RESOURCE 1



Comment: LARGE FABRICATION RESOURCE 1

1-make a 0.063" chamfer on D3763-1 fitting before ass'y

2-assemble and tack weld as per dwg D3763 using locating pin DT9014 \*\*\*remove pin before welding\*\*\*\*

## Dart Aerospace Ltd

W/O:		WORK ORDER CH	WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
						1					
						l					
	;	_									
						i					

Part No: _	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
			QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification		Amaroval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
				·	!		1			
							,			
							·			
							ı			
							ī			

NOTE: Date & initial all entries

Date: User:\*

Monday, 21/07/2008 10:53:41 AM

Julie Lecocq

**Process Sheet** 

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: END FITTING ASS'Y

Job Number: 40687

Part Number: D3763045

Job Number:



Seq. #:

**Machine Or Operation:** 

**Description:** 

5.0

VISUAL WELDING INSPECTION



Comment: VISUAL DING INSPECTION

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

7.0

PACKAGING 1

PACKAGING RESOURCE #1





Comment: PACKAGING RESOURCE #1

Identify wiith Dart part # using a fine point permanent marker and Stock



FINAL INSPECTION/W/O RELEASE





PE

8.0

QC21



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion




# **Dart Aerospace Ltd**


W/O:		ſ			WORK	ORDER	CHANGES					
DATE	STEP	Petrest .	CONT	PROCEDU	RE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	#L.(	chemics !	us'	but ox	1005		0,		08.08-11	4	)// '	
Spolu.	46-2	کاری ۱۰	sport che	med co	st.			5	elelu	(44	!  B&!	<i>चुंघ</i> । प
			Decn	nd da	me ch.	onse						
		* 4	re copy to	DaroD	So/6/11							

Part No:	_PAR #:	Fault Category:	NCR: Yes No	DQA:	Date:
			QA: N/C C	losed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section E	3	Verification					
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
				·							

NOTE: Date & initial all entries





RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

## D3763-043 END FITTING ASSY, LH


NOTES:
1) MATERIAL: N/A
2) FINISH: CHEMICAL CONVERSION COAT ASSEMBLY PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.05 IOS

8

8) WELD: PER DART QSI 004


DESIGN HS DART AEROSPACE LTD DRAWN HS HAWKESBURY, ONTARIO, CANADA DRAWING NO. CHECKED REV. B D3763 MFG. APPR. SHEET 2 OF 9 TITLE APPROVED SCALE **END FITTING** DE APPR. COPYRIGHT © 2008 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT DATE 08.06.23



DESIGN	HS	DART AEROSP	ACE LTD
DRAWN	HS	HAWKESBURY, ONTAF	
CHECKED	PH	DRAWING NO.	REV. B
MFG. APPR.	4	D3763	SHEET 3 OF 9
APPROVED		TITLE	SCALE
DE APPR.		END FITTING	NTS
DATE 08.0	6.23	COPYRIGHT © 2008 BY DART THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIE NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNI	ED ON THE EXPRESS CONDITION THAT IT &

NOTES:
1) MATERIAL: N/A
2) FINISH: CHEMICAL CONVERSION COAT ASSEMBLY PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.05 lbs
8) WELD: PER DART QSI 004



SHOF COPY RETURN TO ENGINEERING UNCONTROLLED COPY
SUBJECT TO AMENDMENT WITHOUT NOTICE
WORK ORDER
NO. 4068

DESIGN	HS	DART AEROSI	PACE LTD	
DRAWN	HS	HAWKESBURY, ONTA		
CHECKED	践	DRAWING NO.	REV. B	
MFG. APPR.		D3763	SHEET 4 OF	
APPROVED	1/W	TITLE	SCALE	
DE APPR.		END FITTING	NTS	
5.455	-	CORVENCUT & 2000 BY DAD	T 450000405 LTD	

DATE 08.06.23

NOTES:
1) MATERIAL: N/A
2) FINISH: CHEMICAL CONVERSION COAT ASSEMBLY PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.03 lbs
8) WELD: PER DART QSI 004

Ø 0.50 THRU R0.580 ∠0.06 x 45° CHAMFER ALL AROUND Ø0.860<sup>+0.000</sup> -0.010 <del>--</del> 1.090 --Ø0.201 B -0.05 X 45° CHAMFER 0.545 **D3763-1 FITTING** 

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE
WORK ORDER
NO. 4000

D


NOTES: 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM ROUND BAR PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR PER AMS-QQ-A-200/8 (OR AMS 4160) (REF. DART SPEC M6061T6R)


2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: N/A 7) WEIGHT: 0.02 lbs

DESIGN HS DART AEROSPACE LTD DRAWN HS HAWKESBURY, ONTARIO, CANADA DRAWING NO. CHECKED REV. B D3763 MFG. APPR. SHEET 5 OF 9 TITLE APPROVED **SCALE END FITTING** DE APPR. COPYRIGHT © 2008 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND COMPOSITING, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT DATE 08.06.23





D

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY


SUBJECT TO AMENDMENT

WITHOUT NOTICE
WORK ORDER
NO. 2008

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. REV. B SHEET 7 OF 9 SCALE **END FITTING** DE APPR. COPYRIGHT © 2008 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT DATE 08.06.23

6) IDENTIFICATION: N/A 7) WEIGHT: 0.02 lbs



Ø1.010<sup>+0.010</sup> -0.000 Ø0.221 THRU 0.66 -0.05 X 45° CHAMFER 2 PL 0.66 Ø0.323 THRU **D3763-7 TUBE** 

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO MENDMENT WITHOUT NOTICE

REV. B

SHEET 9 OF 9

D

DESIGN HS DART AEROSPACE LTD DRAWN HS HAWKESBURY, ONTARIO, CANADA CHECKED DRAWING NO. D3763 MFG. APPR. **APPROVED** TITLE **END FITTING** DE APPR.

COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIMATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

NOTES:
1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6510/T6511/T62) ALUMINUM ROUND BAR PER AMS-QQ-A-225/8
(OR AMS 4117/4128/4115/4116) OR PER AMS-QQ-A-200/8 (OR AMS 4160) (REF. DART SPEC M6061T6R)

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A

7) WEIGHT: 0.01 lbs

8

3

DATE

08.06.23